

HAND OPERATED BUCKET PUMPS

Heavy Duty Original Container Units

SPE1984

Heavy duty hand operated high pressure (5,000 PSI) grease pump unit. Fits 35 lb. pail. Complete with pump, cover, 5' hose, pipe with coupler, carry handle and follower plate.

SPE1986

Heavy duty hand operated gear lube pump unit. Fits 5 gallon pail. Complete with pump, cover, 5' hose, curved pipe with anti-drip tip.

SPE1988

Heavy duty hand operated filler pump unit. Fits 35 lb. pail. Complete with pump, cover, filler valve, dust cap and follower plate.

SPE1991

Heavy duty hand operated bearing packer fits 35 lb. pail. Complete with pump, cover, packer, dust cap and follower plate.



Heavy Duty Self Contained Units

SPE1995

Lever action oil pump. Oval shaped 4.5 gallon steel container with foot rest. Solid construction. Includes 5' oil hose and curved nozzle.

SPE1996

High pressure 6,000 PSI lever action grease pump. Oval shaped 4.5 gallon steel container with foot rest. Includes 7' grease hose and hydraulic coupler. Adjustable pressure and volume.



Standard Duty Multi-Fluid Dispenser

SPE1011 (Shown with SPE1304 band dolly - order extra)

Standard duty hand operated, non-metered, multi-fluid dispenser for 16 gal. open top drum. Includes:

- SPE1001: Hand operated pump with cover mounting adapter.
- SPE1936: Deluxe drum cover for 16 gal. drum.
- SPE731210: 5' fluid hose assembly with curved nozzle.



HAND OPERATED TRANSFER PUMPS

Heavy duty, high quality hand operated transfer pumps. A selection of hand operated lever, lift, siphon and rotary models available for light, medium and heavier automotive, petroleum and industrial products.



SPE1240

SPE1243

SPE1240

Lever action barrel pump. Steel pump body, spout and telescopic suction tube. Die cast head, steel piston, brass rings, nitrile rubber seals. Bung threads fit 15-55 gallon drums. Ideal for use with automotive and petroleum light lubricants and other non-corrosive fluids.



SPE1239

SPE1243

Same features as SPE1240 plus: A larger pump body with longer stroke piston. Has Viton® seals, useable with alcohols, detergents, solvents, oils and anti-freeze. Long curved removable steel spout with garden hose threads.

SPE1239

Quart stroke pump. Adjustable, for dispensing lubricating oils and other non-corrosive fluids. Aluminum casting with Delrin® molded piston. Bung threads fit 15-55 gallon drums with telescoping suction tube. Swing return drain tube and lockable crank arm.



SPE1245

SPE1245

Rotary barrel pump. Heavy duty cast iron body, telescopic steel suction tube, adjustable bung fits 15-55 gallon drums. Dispenses fuel oils, kerosene, diesel fuel, oils and other light fluids.



SPE1247

SPE1247

Constructed of nylon, stainless steel and special packings. Fits 15-55 gallon drums with a 2-inch bung opening. Spout can be removed and special hose attached. Dispenses strong chemicals and solvents at approximately 8 oz. per stroke.

LUBRICATION SERVICE ACCESSORIES

Plastic Funnels and Measures



MODEL	DESCRIPTION
SPE2351	7.5" funnel, flex-spout, filter, anti-splash rim, fingergrip
SPE2352	Large heavy duty funnel with regular filter
SPE2353	Large heavy duty funnel with diesel filter
SPE2377	5 quart flex-spout measure, quart and liter calibration
ALL PRODUCTS MOLDED IN HIGH DENSITY POLYETHYLENE	

Grease Whip Hose - Wire Braid Hose, 3000 PSI Working, 12,000 PSI Burst Pressure



MODEL	DESCRIPTION
SPE1260	12" length - 1/8" NPTM both ends
SPE1262	18" length - 1/8" NPTM both ends
SPE1264	24" length - 1/8" NPTM both ends (not shown)
SPE1249	18" whip hose with giant buttonhead coupler and lock sleeve
SPE1269	12" whip hose with 4 jaw coupler and lock sleeve

Accessory Adapters and Couplers



MODEL	DESCRIPTION
SPE1223	3 jaw narrow coupler - 1/8" NPTF
SPE1224	4 jaw narrow coupler - 1/8" NPTF
SPE1226	Standard buttonhead coupler - 1/8" NPTF
SPE1228	Giant buttonhead coupler - 1/8" NPTF

MODEL	DESCRIPTION
SPE1254	Needle nose with lock sleeve
SPE1255	Lock sleeve - 1/8" NPTM
SPE1267	Rubber tip seal-off with lock sleeve
SPE1270	Rigid flex adapter with hydraulic coupler

