

Revision Date: 01/30/2001

MATERIAL SAFETY DATA SHEET

---

Product Name: SERVICE PRO BRAKE FLUID--SP6055  
Manufacturer: AIOD (ASSOCIATION OF INDEPENDENT OIL DISTRIBUTORS)  
Address: 301 N. CASCADE, SUITE A MONTROSE CO 81401-1861  
Telephone: (970) 249-6336  
Emergency: (800) 752-7869  
Contact: EH&S MANAGER

---

SECTION 01 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

---

Trade Name: SERVICE PRO BRAKE FLUID--SP6055  
Synonyms:  
Description: SOLUTION OF GLYCOL ETHERS AND DIETHYLENE GLYCOL

NFPA 704M<sup>©</sup> Rating:  
Health: 1 Fire: 0 Reactivity: 0 Special:

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

---

SECTION 02 COMPOSITION AND INFORMATION ON INGREDIENTS

---

Chemical Ingredients (% by Weight)

Ingredient	CAS Number	Percent Weight
------------	------------	----------------

---

SECTION 03 HAZARD IDENTIFICATION

---

EMERGENCY OVERVIEW: Prolonged contact with skin may cause moderate irritation. Harmful if swallowed or if eye contact occurs.

POTENTIAL HEALTH EFFECTS

CARCINOGENICITY: Product not considered a carcinogen by OSHA, NTP, or IARC.  
MEDICAL CONDITIONS: Pre-existing eye or skin conditions may be aggravated by over-exposure to this product.  
TARGET ORGANS: None known.  
PRIMARY ENTRY ROUTES: None known.

ACUTE HEALTH EFFECTS

EYE: Will cause irritation upon contact.  
SKIN: Prolonged contact with skin can cause irritation. Repeated skin contact may cause persistent irritation and dermatitis.  
INHALATION: Respiratory irritation and dizziness.  
INGESTION: Large dose can be fatal.

CHRONIC HEALTH EFFECTS: None known.

=====  
SECTION 04 FIRST AID INFORMATION  
=====

EYE CONTACT: Immediately flush eyes with plenty of water for 15 minutes. Seek medical attention.

SKIN CONTACT: Wash area with soap and water. Seek medical attention if irritation persists.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. Seek medical attention. Inhalation hazard unlikely due to low volatility of product.

INGESTION: DO NOT induce vomiting. Only give CONSCIOUS victim two glasses of water and seek medical attention. NEVER give UNCONSCIOUS victim anything by mouth.

=====  
SECTION 05 FIRE FIGHTING MEASURES  
=====

FLASH POINT: > 270 F TOC

EXTINGUISHING MEDIA: Carbon Dioxide (CO2), Dry Chemical, Foam.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

FIRE FIGHTING INSTRUCTIONS: Containers can build up pressure if exposed to fire. Containers should be cooled with water spray.

FIRE FIGHTING EQUIPMENT: Self contained breathing apparatus with full face piece operated in positive pressure mode.

=====  
SECTION 06 ACCIDENTAL RELEASE MEASURES  
=====

SPILL/LEAK PROCEDURES: Notify safety personnel, evacuate all unnecessary personnel and provide adequate ventilation. If feasible and without risk, clean-up personnel should stop leak. All clean-up personnel should wear proper personal protective equipment.

SMALL SPILL: Clean with inert absorbant and place in recovery drums for disposal.

LARGE SPILL: Dike to prevent further migration of material. DO NOT release into waterways or sewers. Follow applicable federal and state regulations (20CFR1910.120).

=====  
SECTION 07 HANDLING AND STORAGE  
=====

STORAGE REQUIREMENTS: Store in clean, dry locations away from excessive heat.

HANDLING PRECAUTIONS: Wash thoroughly after handling. Do not get into eyes, on skin, or on clothing.

=====  
SECTION 08 EXPOSURE CONTROLS AND PERSONAL PROTECTION  
=====

ENGINEERING CONTROLS: Eye wash station and safety shower.

VENTILATION: General ventilation. Material non-volatile.

PERSONNEL PROTECTIVE EQUIPMENT

EYE: Chemical splash goggles with indirect or no ventilation.

SKIN: Chemical resistant gloves such as nitrile.

RESPIRATORY: None required under normal use.

COMMENTS: Never eat, drink, or smoke in work areas.

=====

SECTION 09 PHYSICAL AND CHEMICAL PROPERTIES

=====

BOILING POINT: BT 460 - 475 F

SPECIFIC GRAVITY: BT 1.038 - 1.040

SOLUBILITY IN WATER: NG

ODOR/APPEARANCE/CHARACTERISTICS: Amber liquid, no odor.

=====

SECTION 10 STABILITY AND REACTIVITY

=====

STABILITY: Material is stable

POLYMERIZATION: Hazardous polymerization cannot occur.

CHEMICAL INCOMPATIBILITIES: None known.

CONDITION TO AVOID: Excessive heat and open flame.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, and carbon dioxide.

=====

SECTION 11 TOXICOLOGICAL INFORMATION

=====

-----LD50-----  
Toxicity studies done on this product have shown:

LD50 (oral)..... > 2000 mg/kg

=====

SECTION 12 ECOLOGICAL INFORMATION

=====

No data.

=====

SECTION 13 DISPOSAL CONSIDERATIONS

=====

As a waste, this product in its raw form =DOES MEET= the criteria of a hazardous waste as defined by RCRA (40CFR361). As a waste, this product can be fuel blended at a fuel blending facility.

Dispose of in accordance with all applicable state, federal, and local regulations.

=====  
SECTION 14 TRANSPORTATION INFORMATION  
=====

DOMESTIC:  
\*Not regulated

EXPORT:  
\*Not regulated

=====  
SECTION 15 REGULATORY INFORMATION  
=====

U.S. FEDERAL REGULATIONS

OSHA: Considered hazardous material as defined by 29CFR1910.1200

EPA SARA TITLE III:

-Section 311-312 (40CFR370): If stored in excess of the threshold quantities, this product should be reported as a(n):

\*IMMEDIATE (acute) HEALTH HAZARD

-Section 313 (40CFR372): This product does not contain ingredients which are subject to the reporting requirements of SARA 313:

STATE REGULATIONS

CALIFORNIA PROPOSITION 65: This product does not contain ingredients which are on the current Proposition 65 list.

NEW JERSEY RIGHT-TO-KNOW: This product contains the following ingredients which are non-hazardous, but are among the top five ingredients in this product:

-----CAS#-----

112-43-5: Diethylene Glycol Monobutyl Ether  
143-22-6: Triethylene Glycol Monobutyl Ether  
111-90-0: Diethylene Glycol Monoethyl Ether  
112-34-5: Diethylene Glycol Monobutyl Ether

=====  
SECTION 16 OTHER INFORMATION  
=====

REVISION: 2

NOTES:  
\*NG="NOT GIVEN"  
\*BT="BETWEEN"  
\*<="LESS THAN"  
\*>="GREATER THAN"

USER'S RESPONSIBILITY: This MSDS provides environmental, health and safety information. This product is to be used in applications consistent with our product literature and container label. Individuals handling this product should be informed to the recommended safety precautions and have access to this MSDS. Please contact

your local sales representative or our Environmental, Health and Safety Department for further information.

END OF MSDS